

Biophilic Architecture as a Strategy to Enhance Urban Energy Efficiency: An Empirical Modeling Study in Urmia

Morteza Khosronia¹

¹Assistant Professor, Department of Architecture, Faculty of Architecture, Urban Planning and Art, Urmia University, Urmia, Iran.

Original Article

Received: 2026-02-09

Revised: 2026-02-24

Accepted: 2026-02-25

Abstract

Rapid urbanization and rising energy consumption have intensified the need for innovative urban planning approaches that integrate nature and sustainability. This study examines the role of biophilic urban design in enhancing energy efficiency in the metropolis of Urmia. A quantitative analytical approach was employed, and data were collected through a specialized questionnaire administered to 360 experts in urban design, energy, and environmental fields. Structural equation modeling was used to evaluate causal relationships between biophilic design components and urban energy efficiency. The results indicate that all proposed pathways are statistically significant. Physical and environmental design features show the strongest direct effect on energy efficiency, followed by green spaces and accessibility and human–nature interaction. Psychological–social dimensions and biophilic management and innovation act as important mediators. Model fit indices confirm strong validity. The findings demonstrate that biophilic urban design improves energy performance through microclimate regulation, environmental quality enhancement, and institutional support, highlighting its potential as an integrated strategy for low-carbon urban development in cold and semi-arid cities.

Keywords: Biophilic Urban Design; Energy Efficiency; Green Infrastructure; Structural Equation Modeling; Urban Sustainability

1.Introduction

Rapid urbanization and physical development in recent decades, coupled with increased energy consumption and the exacerbation of climate change, have transformed cities into major epicenters of global environmental and energy challenges (Zhu et al., 2022; Zhang, 2015). The building and urban development sector accounts for a substantial share of energy consumption and greenhouse gas emissions, and projections indicate that without a shift in development patterns, urban energy demand will increase dramatically by mid-century (IEA, 2023; Movahed et al., 2021; Stamenković et al., 2018). These circumstances underscore the necessity to re-evaluate conventional urban design and planning approaches and transition towards paradigms capable of simultaneously enhancing energy efficiency, mitigating environmental impacts, and improving urban quality of life.

The term “biophilic” is derived from the root “biophilia,” which signifies humans’ innate affinity for life and nature. Biophilic urban planning and design, as a human-centric approach based on this innate affinity for nature, has increasingly gained attention as an effective strategy for enhancing human well-being and the environmental performance of urban environments (Beatley & Newman, 2013; Kellert et al., 2011; Browning & Ryan, 2020). Evidence suggests that biophilic elements such as green cover, green roofs and walls, natural lighting and ventilation, and nature-inspired materials can reduce energy consumption, improve thermal comfort, and mitigate the urban heat island effect (Bevilacqua, 2021; Latini et al., 2024; Mihalakakou et al., 2023). However, international studies are predominantly descriptive or based on building simulations, and the analysis of causal relationships between biophilic components and energy efficiency indicators at the urban scale has received less attention. Furthermore, global standard frameworks such as LEED, BREEAM, and WELL have not yet provided integrated, evidence-based models for

metropolitan areas (Algarni et al., 2022; Balvedi & Giglio, 2023; Santamouris et al., 2017; Li et al., 2024; Wijesooriya et al., 2021; Mihalakakou et al., 2023). In Iran, attention to biophilic concepts has also increased, with studies focusing on identifying indicators and developing indigenous models (Asadi & Khatibi, 2021; Mahdavian & Parhiz, 2024; Sarboland & Abedini, 2025). Nonetheless, most of these investigations are limited to descriptive analyses or criteria ranking, and a structural, model-driven examination of the causal relationships between biophilic components and energy efficiency at the metropolitan scale remains neglected.

This research gap becomes particularly significant in the city of Urmia, which is grappling with scattered physical development, increased energy consumption, pressure on natural resources, and vulnerability to climate change. Despite the potential capacities of urban green spaces and surrounding natural areas, no systematic study has yet been conducted to investigate the role of biophilic urban design in enhancing the energy efficiency of this city using a causal approach and Structural Equation Modeling (SEM) (Sarboland & Abedini, 2025). This issue clearly underscores the necessity of the current research.

The present research aims to evaluate the role of biophilic urban design in enhancing energy efficiency in the Urmia metropolis. By employing Structural Equation Modeling (SEM), it seeks to elucidate the relationships among key components—including green cover, microclimate, natural lighting, and natural ventilation—and urban energy efficiency indicators. The main research question addresses how and to what extent biophilic urban design components influence the optimization of energy consumption. It is hypothesized that these components have a positive and significant impact on urban energy efficiency by improving microclimatic conditions and enhancing environmental quality.

2.Literature Review

In recent years, biophilic urban design has garnered attention from researchers as a novel approach to enhancing environmental resilience, improving urban quality of life, and increasing energy efficiency. Research in this field has primarily focused on three main axes:

- (1) biophilic design components and their impact on environmental-climatic conditions;
- (2) the role of biophilia in promoting human health and well-being;
- (3) the interaction of biophilia with urban policy-making and planning.

This conceptual categorization enables a precise analysis of the relationship between biophilic design components and energy efficiency indicators, providing a suitable framework for the conceptual model of the present study.

Regarding the first axis, studies related to environmental-climatic components have shown that urban natural elements—including vegetation, water, natural lighting, and ventilation—play an effective role in moderating the microclimate and reducing energy consumption needs. For instance, Naderi et al. (2023), by measuring temperature and humidity in spaces featuring biophilic components, demonstrated the positive impact of these elements on thermal comfort and the reduction of building energy loads. Similarly, through climate simulation and expert interviews, Raeisi et al. (2025) reported up to a 30% reduction in energy consumption and a 20% improvement in energy performance across various urban samples. Furthermore, the findings of Maleki et al. (2021) underscore the importance of preserving green spaces and implementing greening programs in mitigating urban heating and flooding. These studies identify the independent variables (green cover, water, natural lighting, and ventilation) and the dependent variable (urban energy efficiency), thereby establishing a solid empirical foundation for the conceptual

model of the current research. However, the present study distinguishes itself by employing a Structural Equation Modeling (SEM) approach to investigate the causal relationships among these components in the Urmia metropolis—an aspect that has received less attention in previous literature.

Regarding the second axis, research related to human health and well-being indicates that biophilic design not only improves environmental conditions but also has significant psychological and behavioral effects. Yassein & Ebrahiem (2018) and Agboola et al. (2024) demonstrated that natural lighting, views, and the experience of nature promote mental health, enhance well-being, and strengthen the human-nature connection. Similarly, Bitaraf Ehsan et al. (2018) reported improvements in residential quality and the fulfillment of residents' psychological needs at the residential complex level as a direct result of implementing biophilic principles. The commonality between these studies and the current research lies in the emphasis on the role of natural components in improving the quality of life and reducing energy consumption; however, the primary difference is that the present study examines the impact of these components at the metropolitan scale using structural modeling.

In the third axis, urban policy and planning studies indicate that the implementation of biophilic design requires convergence with urban policies and energy planning. Littke (2016) and Sadick et al. (2023) identified institutional and budgetary constraints as the most significant barriers to implementing biophilic strategies. In contrast, Sarboland and Abedini (2025) and Aniekan et al. (2024) demonstrated that integrating biophilia with green transportation and renewable energies can improve urban energy efficiency. These findings share an important commonality with the model of the current research, as the study's conceptual model addresses the interaction between spatial-environmental components and urban policy-making in enhancing energy efficiency. However, by focusing on the Urmia metropolis and

utilizing SEM analysis, the present research fills previous empirical and practical gaps.

Overall, the literature analysis reveals that while previous studies have separately addressed environmental components, human impacts, and policy-making, the integration among these components and their causal effects on urban energy efficiency remain under-researched. This research gap highlights the necessity of the current study; by employing structural modeling, it becomes possible to measure the direct and indirect effects of biophilic design components on energy indicators at the metropolitan scale, thereby contributing to nature-based and energy-efficient urban decision-making.

3.Theoretical Model

A theoretical analysis of the relationship between biophilic urban design and energy efficiency necessitates the application of a set of interdisciplinary approaches situated at the intersection of theories on sustainable urbanism, environmental psychology, urban climatology, and energy performance. In contemporary literature, no single theory is capable of comprehensively explaining the complex relationships among humans, nature, urban form, and energy consumption. Therefore, this study adopts an integrative and critical approach to re-examine and select key elements from relevant theories to establish a coherent and operationalizable framework for empirical analysis.

The theoretical point of departure for this research is the biophilia hypothesis, first proposed by Wilson, which emphasizes the innate human tendency to affiliate with nature (Wilson, 2017). This theory forms the cognitive and biological basis for biophilic design, explaining that the presence of natural elements in built environments can yield positive outcomes for human health, environmental

perception, and behavior. Despite its fundamental importance, the primary criticism leveled against this theory is its relatively abstract and anthropocentric nature; in its original form, it does not establish a direct link to objective variables such as energy consumption or the climatic performance of urban spaces. As such, in the present research, the biophilia hypothesis is not treated as a definitive explanatory model but rather as the conceptual underpinning for understanding the significance of human-nature interaction within the city.

Building upon this framework, the theory of biophilic design developed by Kellert et al. attempts to translate this innate tendency into applicable principles and patterns in architecture and urban planning (Kellert et al., 2011; Browning & Ryan, 2020). By introducing patterns such as the direct presence of nature, the indirect experience of nature, and spatial conditions inspired by natural systems, this theory takes a significant step toward operationalizing the biophilic concept. However, a fundamental critique of this approach is that its predominant focus has been on psychological and qualitative environmental outcomes, while its energy-related impacts are often addressed implicitly or secondarily. By reinterpreting these patterns, the present study redefines them as measurable latent variables in relation to urban energy efficiency.

From an urban planning and macro-scale perspective, theories of the sustainable city and low-carbon development provide a framework in which reducing energy consumption and optimizing the environmental performance of cities are posited as central goals (Beatley & Newman, 2013; Zhu et al., 2022). These theories emphasize the role of urban form, density, land use, and green infrastructure in reducing energy demand. Nevertheless, classical approaches to urban sustainability have predominantly focused on physical and functional indicators, less frequently incorporating the experiential-perceptual dimension of human-space interaction into

their analytical models. From this perspective, biophilic urban design can act as a mediating link between physical sustainability and the quality of human experience; a link that remains overlooked in many urban sustainability models.

At the functional level, theories of urban climatology and climate-responsive design establish a direct connection between natural elements, physical form, and energy consumption. These theories demonstrate that components such as vegetation cover, shading, natural ventilation, and daylight access can reduce the need for fossil energies by moderating the urban microclimate and improving thermal comfort (Santamouris et al., 2017; Bevilacqua, 2021). The strength of these approaches lies in their measurability and direct correlation with energy indicators; however, their limitation is rooted in a one-dimensional perspective and a focus on isolated design elements. By integrating this viewpoint with the biophilic approach, the current research attempts to analyze the simultaneous and network-based effects of these components within a causal structure.

The synthesis and critique of the aforementioned theories indicate that to explain the relationship between biophilic urban design and energy efficiency, it is necessary to adopt a theoretical model that integrally encompasses three complementary levels: first, the perceptual-human-centric level rooted in the biophilia hypothesis; second, the physical-spatial level derived from the principles of biophilic design and sustainable urbanism; and third, the functional-energy level based on theories of urban climatology and energy performance. Within this framework, biophilic urban design is considered a multidimensional construct that directly and indirectly affects urban energy efficiency by improving environmental quality and thermal comfort.

Accordingly, the theoretical model of the current research is based on the premise that biophilic urban design components are capable of explaining variations in urban energy efficiency not only directly but also through mediating variables such as

microclimate improvement and enhanced thermal comfort. This theoretical model provides the necessary foundation for developing the conceptual model and empirically testing the causal relationships among latent variables through Structural Equation Modeling (SEM), and is directly operationalized to achieve the research objectives.




Fig1- theoretical model of research

4. Research Methodology

From the perspective of the philosophy of science, the current research is based on critical realism, which posits that social and environmental reality exists independently of the observer, but its comprehension is only possible through the interaction between the observer and the environment. This philosophical approach enables the analysis of causal relationships between biophilic urban design and

energy efficiency, while simultaneously considering the impact of mediating variables such as human psychological and social dimensions, as well as biophilic management and innovation.

In terms of the research approach, the study is quantitative and analytical, focusing on numerical data and Structural Equation Modeling (SEM) to test the causal relationships among the variables. At the strategy level, the research employs a descriptive-analytical design, combined with correlational and causal methods, to not only identify the components and indicators of biophilic urban design but also evaluate the magnitude of their impact on urban energy efficiency.

Regarding the choice of methods, the present study is classified as a quantitative mono-method research. The data utilized are primary data, which were collected through a specialized questionnaire. The timeframe of the research spans from Spring 2024 to early 2025.

Table 1: Research layers based on Saunders' Research Onion

Onion Layer	Content / Details	Explanation related to the current research
Research Philosophy	Critical Realism	Assumption of an objective social and environmental reality, and the possibility of understanding it through human interaction with the environment. Enables the analysis of causal relationships and the role of mediating variables.
Research Approach	Deductive, Quantitative	Hypotheses were formulated based on a conceptual model derived from the literature and tested with numerical data; correlation analysis and SEM were used to measure causal relationships.
Research Strategy	Descriptive-analytical, Correlational, and Causal	Identification of biophilic urban design components and indicators, and evaluation of the magnitude of their impact on energy efficiency.
Method Choice	Quantitative Mono-method	Primary data were collected via a specialized questionnaire; the statistical population includes urban experts and professionals related to biophilic design and energy in Urmia. Snowball sampling (N=360).
Time Horizon	Cross-sectional	Field and statistical data were collected from May 2024 to early 2025 (corresponding to the Iranian year 1403).

Techniques and Procedures	Likert-scale Questionnaire, Confirmatory Factor Analysis (CFA), SEM	Specialized questionnaire including independent, mediating, and dependent indicators; reliability confirmed with Cronbach's alpha >0.7; data analysis using SPSS and AMOS; data normality check prior to SEM.
----------------------------------	---------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

The statistical population of the study comprises academic experts, researchers in the fields of biophilic cities and energy, and specialists from the Department of Roads and Urban Development, Urmia Municipality, the Department of Environment, and the Urmia Energy Department. The sample size for the questionnaire was determined to be 360 participants using the robust G-Power software. A snowball sampling method was employed because the number of specialists in the field of biophilic urban design is limited, and direct access to the entire target population was not feasible. This method also increases the likelihood of reaching qualified individuals who are knowledgeable about the specialized aspects of biophilic design and energy efficiency, ensuring that the sample consists of individuals with sufficient experience and practical knowledge. The characteristics of the sample population include educational backgrounds in architecture, urban design, environment, energy, and urban planning, as well as practical experience in urban projects and a history of participation in relevant research endeavors.

The data collection tool utilized in the current research is a specialized, custom-designed questionnaire. The questionnaire was structured using closed-ended questions based on a five-point Likert scale, with its indicators directly extracted from the research framework's table of variables, criteria, and indicators. It is designed to comprehensively cover all components of biophilic urban design (human connection with nature, physical characteristics and environmental design, green spaces, and accessibility), mediating variables (human psychological and social dimensions, biophilic management and innovation), and the dependent variable

(energy efficiency). The questionnaire data were collected in person and distributed in coordination with the relevant organizations and specialists.

Table 2- Introduction of Research Variables and Indicators

Variable Type	Variable	Criterion/Component	Cronbach's Alpha	Operational Definition of the Criterion	Indicators
Independent	Biophilic Urban Design	Human Connection with Nature	0.859	The degree of human attention and perception of natural elements and the sensory and psychological interaction with nature in the designed environment.	Attention to biophilic elements; Attention to biophilic elements that encourage performance and health; Attention to biophilic elements in preventing adverse environmental effects; Attention to natural sensory stimuli; Attention to contexts influencing direct experience of nature; Attention to contexts influencing indirect experience of nature; "Authentic" experience of nature; Attention to the experience of space and place; Attention to visual and non-visual connection with nature.
Independent		Physical Characteristics and Environmental Design	0.816	The extent to which patterns, microclimate, texture, color, light, and natural elements are considered in the design to enhance the human-nature experience.	Attention to airflow and thermal changes; Attention to biomorphic forms and patterns; Attention to elements of the unknown in nature; Attention to the element of fire; Attention to natural texture/images/color; Attention to connected and integrated environments; Attention to enhancing a wide range of nature's values; Attention to light; Degree of attention to refuge/shelter; Degree of attention to the presence of animals.
Independent		Accessibility and Quality of Natural Spaces	0.843	The degree of accessibility and quality of green spaces (indoor and outdoor), green roofs, and pathways in urban design.	Attention to the accessibility of biophilic spaces; Attention to roof gardens/green roofs/hanging gardens/green atriums; Attention to the collection of indoor, outdoor, and transitional spaces and views; Attention to ecological networks/native species;

					<p>Attention to parks and green spaces; Attention to pristine and semi-pristine nature; Attention to vegetation/forest cover; Attention to urban green facades; Attention to pedestrian/dynamic pathways; Attention to the presence of water; Attention to natural materials; Attention to vistas and landscapes; Attention to biophilic-oriented transitional spaces; Attention to public gardens and parks.</p>
Mediating	Attachment, Social Interaction, and Adaptation to Nature	0.769	<p>The degree of psychological dependence, sense of belonging, social participation, and human ability to adapt to the natural environment.</p>	<p>Emotional attachment to structures, landscapes, and places; Sense of community membership; Willingness to participate in bringing nature into the city; Attention to strengthening the human relationship with natural systems; Attention to gardening and nature restoration activities; Environmental education and information; Attention to sense of belonging/place attachment; Attention to social synergy; Degree of human adaptation to nature.</p>	
Mediating	Biophilic Management and Innovation	0.837	<p>The extent of strategic plans, budget, innovative projects, and the use of nature-based design patterns.</p>	<p>Attention to experimental and creative biophilic projects; Attention to the existence of strategic biophilic plans; Biophilic or nature-supporting organizations; Budget for biophilic activities; Number of experimental and innovative biophilic projects; Attention to projects using biomimicry patterns; Attention to design patterns with complexity and order criteria; Attention to design patterns with mystery criteria.</p>	
Dependent	Energy Efficiency	0.799	<p>The degree of attention to and utilization of sustainable methods in environmental design and the</p>	<p>Attention to and use of hybrid energies; Attention to improving consumption/recycling; Attention to the development of a sustainable economy; Carbon</p>	

Developm ent	reduction of negative environmental impacts.	footprint reduction projects (low-carbon footprint).
-------------------------	-------------------------------------------------------	---------------------------------------------------------

To ensure the validity and reliability of the instruments, the questionnaire was pre-tested, and Confirmatory Factor Analysis (CFA) was used to assess the factor structure of the indicators, ensuring that the questions for each criterion genuinely measure its relevant dimensions. Based on the CFA results, all statistics are at an optimal level, indicating a good fit.

Table 3- Model Fit Indices

	P	CMIN/DF	GFI	CFI	RMSEA	NFI	TLI	SRMRR
Statistic	0.439	1.27	0.968	0.994	0.017	0.978	0.967	0.009

Furthermore, Cronbach's alpha coefficient was calculated to assess the internal reliability of each scale, and all scales had a coefficient higher than 0.7, indicating sufficient homogeneity of the questions and the reproducibility of the results. Face and content validity were also confirmed by experts in the fields of urban design and the environment to ensure that all theoretical components of the conceptual model were covered.

The data analysis method consists of two main parts: first, descriptive statistical analysis to examine the distribution, mean, and variance of the indicators; and second, correlation analysis and Structural Equation Modeling (SEM) to test the causal relationships between the independent, mediating, and dependent variables. Data normality tests (Kolmogorov-Smirnov and Shapiro-Wilk) were conducted prior to the analysis, and according to the results in Table 4, the research samples have a normal distribution. The SEM model allows for an accurate evaluation of the direct and indirect impacts of biophilic urban design variables on energy efficiency,

as well as the mediating role of psychosocial variables and biophilic management and innovation. In addition, the impact intensity of each indicator within the framework of the conceptual model and the discriminative power of the variables in determining the executive priorities of biophilic urban design are identified.

Table 4- Evaluation of Research Data Distribution

Test	Statistic	Degrees of Freedom (df)	Significance Level (Sig)	Interpretation
Kolmogorov-Smirnov	0.098	355	0.428	Since Sig.>0.05, the assumption of data normality is not rejected.
Shapiro-Wilk	0.764	355	0.644	Since Sig.>0.05, the assumption of data normality is not rejected.

SPSS and AMOS software were used for data analysis. SPSS was utilized for descriptive analysis, correlation tests, checking data normality, and calculating Cronbach's alpha coefficients. AMOS was used to analyze Structural Equation Modeling and perform Confirmatory Factor Analysis. The selection of these software programs was due to their capability in modeling complex multivariate relationships, providing model fit indices, and enabling the evaluation of direct and indirect variable paths.

4.1. Study Area

Urmia, formerly known as Rezaieh, is the capital of West Azerbaijan Province and Urmia County in northwestern Iran. According to the 2016 census, it has a population of over 736,224, making it the tenth most populous city in Iran and the second most populous in the northwest region of the country. Located at an elevation of 1,332 meters above sea level, west of Lake Urmia, and situated on the slopes of Mount Sir and within the Urmia Plain, this geographical position has led to the formation of a semi-humid climate with significant solar radiation and seasonal

temperature variations. Urmia's summers are generally cool and pleasant, although temperatures occasionally exceed 40°C, while winters feature severe cold with temperatures dropping to -15°C to -20°C. The long-term average precipitation in this city is approximately 238 mm, and the average wind speed is 10.5 m/s (Tarh-o-Kavosh, 2019).

Historically and culturally, Urmia has a history spanning several millennia and was located on the regional trade routes of the Caucasus and Mesopotamia. This historical and commercial position has endowed the city with a diverse urban fabric, varied land uses, and scattered public and green spaces. Furthermore, possessing nationally registered monuments and historical-cultural activities, Urmia has significant cultural and social capacities that facilitate the study of the interaction between urban design and environmental quality (Tarh-o-Kavosh, 2019).

However, Urmia also faces dilemmas that underscore the importance of studying biophilic urban design. These include air pollution caused by traffic and temperature inversion, high vehicle density, marginalization challenges (informal settlements), the drying of Lake Urmia, and salt storms. Additionally, the city experiences structural differences in its urban fabric, comprising a historical core, a middle fabric, and newly developed areas resulting from recent migrations, each possessing distinct microclimatic conditions that impact urban energy consumption.

Based on the aforementioned characteristics, Urmia was selected as the study area because:

- Its climatic and microclimatic diversity allows for the analysis of the effects of biophilic components on environmental conditions and energy consumption.

- The structural diversity and urban land uses enable the investigation of the interaction between urban design and energy efficiency indicators.
- Access to accurate demographic, climatic, and urban energy data facilitates structural equation modeling and scientific analysis.
- The presence of green spaces, rivers, and urban natural elements provides favorable conditions for examining biophilic urban design strategies.
- Urban and environmental challenges, such as air pollution, traffic congestion, and marginalization, create an incentive to find sustainable solutions and improve energy efficiency.

Therefore, due to its specific geographical, climatic, historical, structural, and environmental characteristics, Urmia is considered an appropriate case study to investigate the impact of biophilic urban design on enhancing urban energy efficiency. The results obtained can serve as an applicable model for other Iranian metropolises with similar conditions.




Figure 2- Land use map of Urmia city (Urmia Master Plan, 2019)

5. Findings

Descriptive analysis of the data showed that the means of the independent and mediating variables of the research are at a positive level, and the dispersion of the data is relatively reasonable, indicating that the distribution of responses is suitable for subsequent analyses. “Human connection with nature” with a mean of 3.20 and “Green spaces and accessibility” with a mean of 3.30 show the most attention, highlighting the importance of human experience and access to natural elements in biophilic urban design. “Physical characteristics and environmental design” (mean 3.17) and “Human psychological and social dimensions” (mean 3.03) also exhibit a positive tendency, but the greater dispersion of responses indicates a divergence in perspectives regarding the evaluation of physical design details and psycho-social impacts.

In contrast, “Biophilic management and innovation” with a mean of 2.90 and “Energy efficiency” with a mean of 2.93 are lower compared to the other variables, indicating a need to strengthen planning, policymaking, and operational measures to improve energy performance and innovative projects in the city. The values of skewness and kurtosis for all variables are close to zero; therefore, the data distribution is approximately normal, enabling the application of SEM and correlation analyses.

These results demonstrate that biophilic urban design in Urmia has a high capacity to enhance human interaction with nature and the quality of green spaces, but it requires the strengthening of managerial and policy dimensions to realize a positive impact on energy efficiency. The descriptive analysis clearly identifies existing gaps in the planning and implementation of biophilic design and provides a foundation for causal analysis in the SEM model.

Table 5- Descriptive Statistics of Research Criteria

Variable	Criterion	N	Mean	Standard Deviation	Range	Skewness	Kurtosis
Human connection with nature	Direct and indirect experience of nature	360	3.2021	0.51603	3.17	0.015	0.309
Physical characteristics and environmental design	Physical and environmental design	360	3.1698	0.44246	2.75	0.600	0.731
Green spaces and accessibility	Access and quality of natural spaces	360	3.3029	0.54393	2.83	0.413	0.046
Human psychological and social dimensions	Attachment, social interaction, and adaptation to nature	360	3.025	0.76139	4.00	0.091	-0.127
Biophilic management and innovation	Planning, policies, and creative projects	360	2.8963	0.57095	2.75	-0.104	-0.507

	Energy, consumption, and sustainable development	360	2.9300	0.46073	2.63	-0.013	-0.245
--	--------------------------------------------------------	-----	--------	---------	------	--------	--------

5.1. Structural Equation Modeling (SEM)

The results of the Structural Equation Modeling indicate that all hypothesized paths between the independent and mediating variables and the dependent variable, energy efficiency, in the metropolis of Urmia are statistically significant and have been confirmed. According to the standardized regression coefficients, the highest direct impact on energy efficiency is attributed to Physical characteristics and environmental design, with a standardized coefficient of 0.784 and a regression coefficient of 1.636. This highlights the importance of physical design, biomorphic patterns, airflow, light, and texture in enhancing urban energy performance. The next in rank is Green spaces and accessibility with $\beta_{std}=0.712$ and $\beta=1.815$, which shows that access to parks, pedestrian pathways, ecological networks, and biophilic-oriented transitional spaces plays a significant role in improving energy efficiency. The variable Human connection with nature, with a standardized coefficient of 0.659 and a regression coefficient of 1.710, also has a significant effect on energy efficiency, emphasizing the importance of direct and indirect experiences of nature and human-nature interaction.

The role of the mediating variables is also well-represented in the model. Human psychological and social dimensions ($\beta_{std}=0.708$, $\beta=1.779$) and Biophilic management and innovation ($\beta_{std}=0.687$, $\beta=1.864$) create significant mediating pathways to energy efficiency. These findings demonstrate that in addition to the direct impact of biophilic urban design, psychosocial factors such as attachment, social interaction, sense of belonging, and human adaptability to nature, as well as

project management, creative programs, and nature-based innovations, play a crucial role in reinforcing the effects of urban design on energy efficiency.

All model paths have a Critical Ratio (C.R.) higher than 3 and a significance level less than 0.001, indicating high statistical significance and reliability of the results. The Standard Error (S.E.) of the paths is also within an appropriate range, which suggests precision in the coefficient estimates and the absence of significant measurement error. All paths have a “Confirmed” status, which strengthens the validity of the conceptual model.

In summary, the modeling results show that enhancing urban energy efficiency in Urmia requires a combination of three main factors: Human connection with nature, Physical characteristics and environmental design, and Green spaces and accessibility, along with support and planning through the mediating variables of Human psychological and social dimensions and Biophilic management and innovation. These findings underscore the importance of an integrated approach to biophilic urban design and indicate that the direct and indirect effects of biophilic urban design operate simultaneously to promote urban energy efficiency.

Table 6- Results of Structural Equation Modeling in AMOS Software

Dimens ion	Compon ent	Path	Depen dent Varia ble	Ra nk	Regres sion Coeffi cient	Standar dized Regressi on Coeffici ent	(C. R.)	S. E.	Signific ance Level (Sig.)	Status
Indepe ndent Variabl e	Human connecti on with nature	→\rightar row→	Energy Efficie ncy	5	1.710	0.659	3.4 61	0.4 94	0.000	Confir med
Indepe ndent Variabl e	Physical character istics and environ	→\rightar row→	Energy Efficie ncy	1	1.636	0.784	3.5 97	0.4 55	0.000	Confir med

	mental design									
Independent Variable	Green spaces and accessibility	→\rightarrow	Energy Efficiency	2	1.815	0.712	3.524	0.515	0.000	Confirmed
Mediating Variable	Human psychological and social dimensions	→\rightarrow	Energy Efficiency	3	1.779	0.708	3.321	0.492	0.000	Confirmed
Mediating Variable	Biophilic management and innovation	→\rightarrow	Energy Efficiency	4	1.864	0.687	3.508	0.311	0.000	Confirmed

5.2. Correlation Relationship

The results of the Pearson correlation analysis indicate that there are positive and significant relationships among all the research variables at a 95% confidence level ($\text{Sig} < 0.05$), which demonstrates the internal consistency of the constructs and their alignment with the theoretical framework of the research. The highest correlation with the dependent variable, energy efficiency, belongs to “Physical characteristics and environmental design” ($r=0.784$), indicating that the quality of physical design, biomorphic patterns, microclimate control, and environmental elements play a determining role in improving urban energy performance. This finding confirms that physical interventions, compared to other dimensions of biophilic design, have a more direct and stronger impact on energy indicators.

Ranking next, “Green spaces and accessibility” with a correlation coefficient of 0.712, and “Human psychological and social dimensions” with a coefficient of 0.708, exhibit a strong and significant relationship with energy efficiency. These results suggest that access to green spaces, ecological networks, and natural landscapes, alongside the enhancement of place attachment, social interaction, and

human adaptation to nature, can indirectly yet effectively influence energy consumption and related behaviors.

Furthermore, “Biophilic management and innovation” has a significant correlation with energy efficiency ($r=0.687$), reflecting the role of policymaking, pilot projects, nature-based innovations, and biomimicry patterns in strengthening urban energy performance. This finding emphasizes the importance of the institutional and managerial dimension in achieving the goals of biophilic urban design; a dimension that has been less empirically examined in many previous studies.

Among the relationships between independent and mediating variables, significant and, in some cases, relatively strong correlations are also observed. For instance, “Green spaces and accessibility” highly correlates with “Human psychological and social dimensions” ($r=0.647$), indicating that the quality of and access to urban nature play a crucial role in fostering place attachment and social interactions. Additionally, the notable correlation between “Human connection with nature” and “Biophilic management and innovation” ($r=0.602$) suggests that human experience and perception of nature lay the groundwork for supporting biophilic policies and innovations at the urban scale.

Overall, the correlation pattern demonstrates that the research variables do not act independently, but rather as an interconnected system; a system in which physical design, human experience, green spaces, psychosocial dimensions, and urban management simultaneously impact energy efficiency. These significant correlations provide the necessary statistical foundation for entering the Structural Equation Modeling phase and support the conceptual fit of the theoretical model with the actual conditions of the Urmia metropolis.

Table 7- Correlation results among components in SPSS software

Variable	Energy Efficiency	Human connection with nature	Physical characteristics and environmental design	Green spaces and accessibility	Human psychological and social dimensions	Biophilic management and innovation
Human connection with nature	0.659	1				
Physical characteristics and environmental design	0.784	0.493	1			
Green spaces and accessibility	0.712	0.517	0.592	1		
Human psychological and social dimensions	0.708	0.344	0.538	0.647	1	
Biophilic management and innovation	0.687	0.602	0.425	0.566	0.519	1

Note: All relationships are at a significance level of (Sig<0.001).

6. Discussion and Conclusion

The findings of this study indicate that biophilic urban design in the Urmia metropolis affects energy efficiency not as a set of isolated interventions, but within the framework of a multi-layered physical-social-institutional system. The significance of all Structural Equation Modeling (SEM) paths and the relatively high coefficients of the direct and indirect effects of the variables demonstrate that the relationships between biophilic design components and urban energy performance possess a networked and interactive nature. This finding directly addresses the gap highlighted in the broader literature, where most studies, despite their theoretical emphasis on the importance of nature-based design, have lacked empirical evidence

regarding the causal mechanisms of these impacts (Wijesooriya et al., 2021; Zhu et al., 2022; Li et al., 2024).

Based on the SEM results, physical characteristics and environmental design exhibit the highest direct effect on energy efficiency ($\beta_{std}=0.784$), emphasizing the determining role of urban form, biomorphic patterns, natural ventilation, urban fabric permeability, and the utilization of natural light in reducing cooling and heating loads. This result is consistent with the findings of (Mihalakakou et al., 2023; Bevilacqua, 2021; Santamouris et al., 2017), which demonstrated that the quality of physical design and microclimate control are among the most effective factors in improving energy performance at the urban scale and within building complexes. However, the higher contribution of this component in Urmia can be interpreted within the context of the city's cold semi-arid climate and its extreme temperature fluctuations; conditions under which physical interventions such as building orientation, shading, fabric porosity, and airflow optimization play a far more prominent role compared to cities with temperate climates. From this perspective, the present finding goes beyond merely confirming previous studies, placing a strong emphasis on the necessity of localizing biophilic strategies to align with specific climatic characteristics.

Green spaces and accessibility ($\beta_{std}=0.712$) and human connection with nature ($\beta_{std}=0.659$) also demonstrated significant and substantial effects on energy efficiency. These results indicate that the function of green spaces is not limited to merely enhancing visual or recreational quality; rather, it can lead to reduced energy consumption by moderating ambient temperature, increasing relative humidity, mitigating urban heat islands, and altering citizens' behavioral patterns. This finding aligns with the studies of (Balvedi and Giglio, 2023; Algarni et al., 2022), which emphasize the role of ecological networks and pedestrian-oriented access to nature

in improving thermal comfort and reducing energy demand. Concurrently, the results of this research demonstrate that the human experience of nature and the subjective perception of the environment are also directly linked to energy indicators; an issue that has received less attention in many intermediate studies, which are often limited to physical variables.

One of the most important theoretical achievements of this study is revealing the mediating role of human psychological and social dimensions, as well as biophilic management and innovation. The relatively high coefficients of these two variables ($\beta_{std}=0.708$ and $\beta_{std}=0.687$) indicate that the impact of biophilic design on energy efficiency is not transmitted solely through the physical pathway, but is reinforced through increased place attachment, social interactions, behavioral adaptation to nature, and the institutional capacity to plan and implement nature-based projects. This finding is consistent with the results of (Latini et al., 2024), who emphasized the role of perceived environmental quality in moderating energy-intensive behaviors, but it simultaneously goes beyond that by empirically incorporating the managerial dimension into the model—a dimension that has been less quantitatively investigated in the international literature, and particularly in domestic studies.

Compared to domestic research, which has mainly focused on extracting indicators or conducting qualitative feasibility studies of biophilic design (Asadi and Khatibi, 2021; Maleki et al., 2021; Mahdavian and Parhiz, 2024; Sarboland and Abedini, 2025), this research, by utilizing Structural Equation Modeling, has been able for the first time in the Iranian urban context to explain the direct and indirect causal relationships between biophilic components and energy efficiency. From this perspective, the present research has not only achieved its overall objective of explaining the role of biophilic urban design in enhancing energy performance, but it has also taken a methodological step beyond descriptive approaches or simple

rankings, providing an analytical framework for the simultaneous measurement of latent variables.

Contextual interpretation of the findings reveals that in Urmia, the relative weakness of biophilic management and innovation and the lower average of energy efficiency compared to other components are a reflection of institutional challenges, limited financial resources, and the lack of coherent energy-oriented policies at the urban level. This explains why, despite the city's high physical and natural capacity, the full realization of biophilic design benefits requires strengthening governance mechanisms, economic incentives, and nature-based pilot projects. Therefore, the main practical implication of this research is that urban policymakers should consider biophilic design as part of a comprehensive urban energy strategy and integrate it into development documents, building codes, and urban fabric regeneration plans. Prioritizing low-cost but high-yield physical interventions, developing continuous green networks, raising public awareness, and creating an institutional foundation for biomimetic innovations can be proposed as key levers for enhancing energy efficiency.

Despite these achievements, the current research also faces certain limitations; including reliance on perceptual data rather than actual energy consumption data, focusing on a single specific city, and the inability to examine seasonal variations. These limitations necessitate that future research strengthens the external validity of the model and investigates the temporal dynamics of biophilic design impacts by combining field energy data, climate simulations, and inter-city comparative studies.

Overall, the results of this research indicate that biophilic urban design, when combined with targeted physical interventions, enhancement of psychological-social dimensions, and institutional support, can serve as an effective framework for improving energy efficiency in cold and semi-arid cities. By providing empirical and

model-based evidence, this study demonstrates that the transition to low-carbon cities does not solely require new technologies, but necessitates a rethinking of the relationship between humans, nature, and urban structure; a conclusion that can serve as a basis for informed decision-making towards sustainable urban design in Iran.

Authors' Contributions

The corresponding author was solely responsible for all stages of the research process, including study design, data collection, data analysis and interpretation, and preparation of the final manuscript. The author approved the final version of the manuscript.

Acknowledgements

This study did not receive any financial or non-financial support from public, private, or non-profit organizations. The authors acknowledge that Gemini 3.1, an artificial intelligence-based language model, was used to assist in improving the clarity and fluency of the English text through rewriting, while the scientific content and interpretations remain entirely the responsibility of the authors.

Conflict of Interest

The authors declare that there are no actual or potential conflicts of interest regarding the publication of this article.

References

- Agboola, O. P., Nia, H. A., Findikgil, M. M., & Yildirim, S. G. (2024). Assessing the effectiveness of the biophilic design approach in contribution to sustainable architectural goals. *New Design Ideas*, 8(Special Issue).
- Andreucci, M. B., Loder, A., Brown, M., & Brajković, J. (2021). Exploring Challenges and Opportunities of Biophilic Urban Design: Evidence from Research and Experimentation. *Sustainability*, 13(8), 4323. <https://doi.org/10.3390/su13084323>
- Aniekan, A. U., Peter, E. O., Onyinyechukwu, C., Bright, N., Adetomilola, V. F., & Kenneth, I. I. (2024). Incorporating energy efficiency in urban planning: A review of policies and best practices.
- Asadi, Sh., & Khatibi, S. M. (2021). Developing biophilic urban design criteria for organizing the central texture of cities. *Journal of Zist-Faza*, 1(1), 91-115. [In Persian] <https://civilica.com/doc/1573704>
- Bitarof, E., Habib, F., & Zabihi, H. (2018). Native ecological and ecological architecture principles in the design of residential complexes in Iran to improve their quality. *Journal title 2018*; 17 (52)

:205-218

URL: <http://ijurm.imo.org.ir/article-1-2314-fa.html>

Gholamzadeh, A. (2023). Components of using biomimicry style in designing buildings compatible with climate and sustainability. *New Researches in Geographical Sciences, Architecture and Urbanism*, 44(5), 143-158. [In Persian]. <https://civilica.com/doc/1833331>.

Kabinesh, V., Vennila, S., Baranidharan, K., Ravi, R., Krishnamoorthi, S., & Thirunavukkarasu, M. (2024). Sustainable spaces-The evolution of biophilic design in modern architecture: A review. *Asian Journal of Environment & Ecology*, 23(5), 64-77.

Kuponiya, A., & Akomolafe, O. O. (2024). Biophilic design: Health, well-being, and sustainability. *International Journal of Advanced Multidisciplinary Research and Studies*, 1746-1753.

Lee, S., & Kim, Y. (2021). A framework of biophilic urbanism for improving climate change adaptability in urban environments. *Urban forestry & urban greening*, 61, 127104.

Littke, H. (2016). Becoming biophilic: challenges and opportunities for biophilic urbanism in urban planning policy. *Smart and Sustainable Built Environment*, 5(1).

mahdavin, V. M. and Parhiz, F. (2024). Compilation of biophilic city model in Isfahan city. *Human Geography Research*, 56(2), 115-135. <https://doi.org/10.22059/jhgr.2023.351118.1008565>

Maleki, L., Majedi, H., & Zarabadi, Z. (2021). Analyzing the role of urban approaches in response to climate changes with emphasis on biophilic urbanism, a case study: Tonekabon City. *Urban Planning Knowledge*, 5(1), 147-163. <https://doi.org/10.22124/upk.2020.13045.1211>.

Moghimi Shahri, E., & Vafamehr, M. (2024). Evaluating and ranking biophilic design principles in the residential architecture of Mashhad. *Journal of Sustainable Architecture & Environment*, 2(1), 79-92.

Naseri, P., Jodeiri Abbasi, M., Shafizadeh, A., Mahmoodi Nezhad, H. and Babazadeh Oskoui, S. (2024). Explaining the neurobiological theoretical model of biophilic design in architecture to conserve energy in the environment with the method of content analysis. *Journal of sustainable Energy Systems*, 2(4), 405-420. <https://doi.org/10.22059/ses.2024.373986.1059>

Raisi, E., Davtala, J., Ghasemi, M. and Norouzi, M. (2025). An Analysis of the Role of Biophilic Design in Creating Climate-Responsive and Culturally Attuned Architecture in Iran. *The Monthly Scientific Journal of Bagh-e Nazar*, 22(145), 19-34. <https://doi.org/10.22034/bagh.2025.499293.5743>.

Sadick, A. M., Kamardeen, I., & Vu, X. P. (2023). Challenges for implementing biophilic strategies in Australian building design. *Journal of Building Engineering*, 74, 106849.

Sarboland, M.S., & Abedini, A. (2025). Evaluation and Localization of Smart Planning with Biophilic Approach in Urmia City. *Urban Ecological Research*, 16(3), 65-86. <https://doi.org/10.30473/grup.2024.70865.2845>.

Wijesooriya, N., & Brambilla, A. (2021). Bridging biophilic design and environmentally sustainable design: A critical review. *Journal of Cleaner Production*, 283, 124591.

Wijesooriya, N., Brambilla, A., & Markauskaite, L. (2023). Biophilic design frameworks: A review of structure, development techniques and their compatibility with LEED sustainable design criteria. *Cleaner Production Letters*, 4, 100033.

Xue, F., Gou, Z., Lau, S. S. Y., Lau, S. K., Chung, K. H., & Zhang, J. (2019). From biophilic design to biophilic urbanism: Stakeholders' perspectives. *Journal of Cleaner Production*, 211, 1444-1452.

Yassein, G., & Ebrahiem, S. (2018). Biophilic design in the built environment to improve well-being: A systematic review of practices. *Journal of Urban Research*, 30(1), 128-146.

Zare, G., Faizi, M., Baharvand, M., & Masnavi, M. (2021). A review of biophilic design conception implementation in architecture. *Journal of Design and Built Environment*, 21(3), 16-36.

ARTICLE IN PRESS